INDEX

ABRAMOWITZ, S. See Shils, M. E., 577.
Acetate (vitamin A), utilization by humans, 563.
Acetylation of sulfanilamide, effect of riboflavin and pyridoxine deficiencies on, 577.
Acid hydrolyzed casein diet, tryptophan deficiency in rat induced by forced feeding of, 213.
ADAMSTONE, F. B. See Spector, H., 213.
Adequacy, nutritional, of Army combat rations, 281.
Adjustment and relation of blood plasma level and urinary excretion of ascorbic acid to intake, 255.
Adult rat (see Rat).
Albino rat (see Rat).
Alcohol (vitamin A), and vitamin A ester, absorption of aqueous dispersions of, in normal children, 275.
— — — utilization by humans, 563.
ALPER, C., B. F. CHOW AND S. DEBIASE. A comparison of parenterally and orally supplied protein hydrolysate for utilization of the nitrogen in long continued feeding experiments, 81.
Alpha-tocopherol and protein metabolism, interrelation between. IV. Cure and prevention of stomach ulcers in rats, 177.
Amino acid(s) and urinary nitrogen excretion in rat, influence of tryptophan upon, 71.
— — and vitamin B_{12} as supplements to soybean oil meal and cottonseed meal for growing chicks, 169.
— — distribution, isolation and nutritional evaluation of filbert globulins. Investigation of Barcelona and Du Chilly filbert nuts. II., 329.
— — essential, in human colostrum and transitional milk, 499.
— — — requirements, minimum daily, in protein-depleted adult male albino rats, determination of, 625.
— — in blood and urine of human subjects ingesting different amounts of the same proteins, 145.
— — (indispensable), minimum requirements of, for maintenance of adult well-nourished male albino rat, 335.
— — metabolism, studies in. IV. Minimum requirements of indispensable amino acids for maintenance of adult well-nourished male albino rat, 335.
— — mixtures low in leucine, utilization by adult rat, 625.
— — -sugar reaction, relation to nutritive value of protein hydrolysates, 295.
— — utilization, studies in. V. Determination of minimum daily essential amino acid requirements in protein-depleted adult male albino rats, 483.
ANDERSON, G. C., AND A. G. HOGAN. Requirement of the pig for vitamin B_{12}, 243.
ANDERSON, J. T., AND E. S. NASSET. The utilization by the adult rat of amino acid mixtures low in leucine, 625.
Antihemorrhagic action, renal, relation of structure of choline-like compounds to, 113.
Aqueous dispersions of vitamin A alcohol and vitamin A ester, absorption in normal children, 275.
Army combat rations, nutritional adequacy of, 281.
Ascorbic acid content of tomato fruits, and illumination, further studies on relationship between, 133.
— — relation and adjustment to intake of blood plasma level and urinary excretion of, 255.

BABY pig (see Pig, baby).
Barcelona filbert nuts, investigation of. II., 329.
BARKI, V. H., R. A. COLLINS, C. A. ELVEHJEM AND E. B. HART. The importance of the dietary level of fats on their nutritional evaluation, 383.
BARNES, R. H. See Bosshardt, D. K., 595.
BAUMANN, C. A. See Steele, B. F., 145.
BEADLES, J. R. See Mitchell, H. H., 25.
BEAM, A. S. See Goldsmith, G. A., 41.
BELL, J. M., H. H. WILLIAMS, J. K. LOOSLI AND L. A. MAYNARD. The effect of methionine supplementation of a soybean oil meal — purified ration for growing pigs, 551.
BENDITT, E. P., R. L. WOOLRIDGE, C. H. STEFFEE AND L. E. FRAZIER. Studies in amino acid metabolism. IV. The minimum requirements of the indispensable amino acids for maintenance of the adult well-nourished male albino rat, 335.
— See Steffee, C. H., 483.
BENSLEY, E. H., A. F. FOWLER, M. V. CREAGHAN, B. A. MOORE AND E. K. MCDONALD. Plasma tocopherol in diabetes mellitus, 323.
BETHKE, R. M. See Burroughs, W., 9.
Biological values of 6 partially purified proteins for adult albino rat, 25.
BLAYLOCK, L. G. See Richardson, L. R., 169.
Blood of human subjects ingesting different amounts of the same proteins, amino acids in, 145.
— plasma level and urinary excretion of ascorbic acid, relation and adjustment to intake, 255.
Bone, retention of fluorine when fed as sodium fluoride and as, 515.
BOSSHARDT, D. K., W. J. PAUL AND R. H. BARNES. The influence of diet composition on vitamin B_{12} activity in mice, 595.
BURKE, K. A. See Johnson, B. C., 309.
BURROUGHS. W., N. A. FRANK, P. GERLAUGH AND R. M. BETHKE. Preliminary observations upon factors influencing cellulose digestion by rumen microorganisms, 9.
BUTTS, J. S. See Fang, S. C., 329.

CAJORI, F. A. See Twedt, R. M., 393.
CALBERT, C. E. See Deuel, H. J., Jr., 351.
Calcium pantothenate and panthenol, availability in relation to food intake, 265.
Calf, effect of prepartal diet of cow on placental and mammary transfer of tocopherols to, 193.
— fate of niacin in, 453.
— pyridoxine deficiency in, 309.
CANNON, P. R. See Steffee, C. H., 483.
Carboxymethyl, sodium (see Sodium carboxymethyl).
Caries, dental (see Dental caries).
— prevention in Syrian hamster with sodium oxalate, 393.
Carotene and vitamin A, effect of xanthophyll on utilization by rat, 159.
— factors influencing utilization for storage of vitamin A in rat, 605.
Casein diet, acid hydrolyzed, tryptophan deficiency in rat induced by forced feeding of, 213.
Cellulose digestion by rumen microorganisms, preliminary observations upon factors influencing, 9.
Cereal feeds, factors affecting stability of vitamin A from cod liver oil in, 415.
Chick(s), growing, vitamin B_{12} and amino acids as supplements to soybean oil meal and cottonseed meal for, 169.

— interrelationship of folacin, vitamin B_{12} and choline and effect on growth of, 95.
Children, normal, absorption of aqueous dispersions of vitamin A alcohol and vitamin A ester in, 275.
Choline, folacin and vitamin B_{12}, interrelationship and effect on hemorrhagic kidney syndrome in rat and on growth of chick, 95.
Choline-like compounds, relation of structure of, to renal antihemorrhagic action, 113.
CHOW, B. F. See Alper, C., 81.
CLAYTON, R. See DaCosta, E., 537.
Cod liver oil, factors affecting stability of vitamin A from, in cereal feeds, 415.
COLLINS, R. A. See Barki, V. H., 383.
Colostrum and transitional milk, human, essential amino acids in, 499.
Combat rations, Army, nutritional adequacy of, 281.
Conjugation reactions *in vivo* and pantothenic acid deficiency. II., 577.
COPELAND, D. H. See Schaefer, A. E., 95.
Copper, molybdenum, zinc and lead, some interrelationships of, in nutrition of rat, 441.
Cotton rat, dental caries in. XI., 203.
Cottonseed meal and soybean oil meal, vitamin B_{12} and amino acids as supplements to, for growing chicks, 169.
— oil and fat-free ration, fatty acid changes in egg yolk of hens on, 429.
Cow, effect of prepartal diet of, on placental and mammary transfer of tocopherols to calf, 193.
COWGILL, G. R. Frederick Gowland Hopkins (a biography), 3.
CREAGHAN, M. V. See Bensley, E. H., 323.
Crystalline vitamin B_{12} in nutrition of baby pig, 403.

DACOSTA, E., AND R. CLAYTON. Studies of dietary restriction and rehabilitation. I. Weight changes and food consumption in rats, 537.
Daily essential amino acid requirements, minimum, in protein-depleted adult male albino rats, determination of, 483.
DARBY, W. J. See Goldsmith, G. A., 41.
DAY, H. G. See Kelley, B., 159.
DEBIASE, S. See Alper, C., 81.
DEKKER-VAN GHYL, L. See Spector, H., 213.
Dental caries in cotton rat. XI. Effect of feeding a natural diet comparable to a human diet, 203.
DEUEL, H. J., JR., S. M. GREENBERG, C. E. CALBERT, E. E. SAVAGE AND T. FUKUI. The effect of fat level of the diet on general nutrition. V. The relationship of the linoleic acid requirement to optimum fat level, 351.
Diabetes mellitus, plasma tocopherol in, 323.
Diet (acid hydrolyzed casein), tryptophan deficiency in rat induced by forced feeding of, 213.
— composition, influence on vitamin B_{12} activity in mice, 595.
— effect of fat level of, on general nutrition. V., 351.
— human, effect of feeding natural diet comparable to. Dental caries in cotton rat. XI., 203.
— natural, comparable to a human diet, effect of feeding. Dental caries in cotton rat. XI., 203.
— prepartal, of cow, effect on placental and mammary transfer of tocopherols to calf, 193.
Dietary level of fats, importance on their nutritional evaluation, 383.
— restriction and rehabilitation, studies of. I. Weight changes and food consumption in rats, 537.
Digestion (cellulose) by rumen microorganisms, preliminary observations upon factors influencing, 9.
Disorder, enlarged hock (perosis) in turkeys, studies on, 611.
Dispersions, aqueous, of vitamin A alcohol and vitamin A ester, absorption in normal children, 275.
DODDS, M. L., E. L. PRICE AND F. L. MACLEOD. A study on the relation and adjustment of blood plasma level and urinary excretion of ascorbic acid to intake, 255.
Dog, fate of niacin in, 453.
DRAKE, T. G. H. See Jackson, S. H., 515.
DREKTER, L. See Rubin, S. H., 265.
Du Chilly filbert nuts, investigation of. II., 329.

EGG yolk of hens on fat-free and cottonseed oil ration, fatty acid changes in, 429.
ELLIS, G. H. See Gray, L. F., 441.
ELVEHJEM, C. A. See Barki, V. H., 383; Register, U. D., 281; Wykes, A. A., 71; Zepplin, M., 203.
Enlarged hock disorder (perosis) in turkeys, studies on, 611.
Essential amino acid(s) in human colostrum and transitional milk, 499.
— — — requirements, minimum daily, in protein-depleted adult male albino rats, determination of, 483.
Ester(s) (vitamin A) and vitamin A alcohol, absorption of aqueous dispersions of, in normal children, 275.
— — — natural, utilization by humans, 563.
Excretion, urinary (see Urinary excretion).
Experimental lathyrism produced by feeding Singletary pea *(Lathyrus pusillus)* seed, 587.

FANG, S. C., AND J. S. BUTTS. Investigation of Barcelona and Du Chilly filbert nuts. II. Isolation, nutritional evaluation and amino acid distribution of filbert globulins, 329.
Fat(s), importance of dietary level on their nutritional evaluation, 383.
— level of diet, effect on general nutrition. V. Relationship of linoleic acid requirement to optimum fat level, 351.
— — optimum, relationship of linoleic acid requirement to. Effect of fat level of diet on general nutrition. V., 351.
Fat-free and cottonseed oil ration, fatty acid changes in egg yolk of hens on, 429.
Fatty acid changes in egg yolk of hens on fat-free and cottonseed oil ration, 429.
Feeding experiments (long continued), comparison of parenterally and orally supplied protein hydrolysate for utilization of nitrogen in, 81.
Feeds (cereal), factors affecting stability of vitamin A from cod liver oil in, 415.
Filbert globulins, isolation, nutritional evaluation and amino acid distribution of. Investigation of Barcelona and Du Chilly filbert nuts. II., 329.
Fluoride, sodium (see Sodium fluoride).
Fluorine, retention when fed as bone and as sodium fluoride, 515.
Folacin, vitamin B_{12} and choline, interrelationship and effect on hemorrhagic kidney syndrome in rat and on growth of chick, 95.

Food(s) consumption and weight changes in rats. Studies of dietary restriction and rehabilitation. I., 537.
— intake, availability of panthenol and calcium pantothenate in relation to, 265.
— vitamin E content of, 367.
Forced feeding of an acid hydrolyzed casein diet, tryptophan deficiency in rat induced by, 213.
FOWLER, A. F. See Bensley, E. H., 323.
FRAHM, R. N. See Miller, S., 499.
FRANK, N. A. See Burroughs, W., 9.
FRAZIER, L. E. See Benditt, E. P., 335.
FREDERICK GOWLAND HOPKINS (a biography), 3.
FRIEDMAN, L., AND O. L. KLINE. The relation of the amino acid-sugar reaction to the nutritive value of protein hydrolysates, 295.
Fruits, tomato (see Tomato).
FUKUI, T. See Deuel, H. J., Jr., 351.

GENERAL nutrition, effect of fat level of diet on. V., 351.
GERALD, P. S. See Kagan, B. M., 275.
GERLAUGH, P. See Burroughs, W., 9.
GIBSON, B. See Reiser, R., 429.
Globulins (filbert), isolation, nutritional evaluation and amino acid distribution of. Investigation of Barcelona and Du Chilly filbert nuts. II., 329.
Goat, fate of niacin in, 453.
GOLDSMITH, G. A., W. J. DARBY, R. C. STEINKAMP, A. S. BEAM AND E. MCDEVITT. Resurvey of nutritional status in Norris Point, Newfoundland, 41.
GRAY, L. P., AND G. H. ELLIS. Some interrelationships of copper, molybdenum, zinc and lead in the nutrition of the rat, 441.
GREENBERG, S. M. See Deuel, H. J., Jr., 351.
GROSSMAN, M. I. See Wang, C. C., 471.
Growing chicks (see Chicks).
— pigs (see Pigs).
Growth of chick, interrelationship of folacin, vitamin B_{12} and choline and effect on, 95.
Guinea pig, fate of niacin in, 453.

HALVERSON, A. W., AND E. B. HART. Factors affecting the stability of the vitamin A from cod liver oil in cereal feeds, 415.
HAMIL, B. M. See Miller, S., 499.
HAMNER, K. C. See Somers, G. F., 133.
Hamster, Syrian, prevention of caries in, with sodium oxalate, 393.
HARRIS, P. L., M. L. QUAIFE AND W. J. SWANSON. Vitamin E content of foods, 367.
— See Hove, E. L., 177.
HART, E. B. See Barki, V. H., 383; Halverson, A. W., 415.
Hemorrhagic kidney syndrome in rat, interrelationship of folacin, vitamin B_{12} and choline and effect on, 95.
HENDERSON, L. M. See Wykes, A. A., 71.
Hens on fat-free and cottonseed oil ration, fatty acid changes in egg yolk of, 429.
Hock (enlarged) disorder (perosis) in turkeys, studies on, 611.
HOGAN, A. G. See Anderson, G. C., 243.
HOPKINS, FREDERICK GOWLAND (a biography), 3.
HOVE, E. L., AND P. L. HARRIS. Interrelation between α-tocopherol and protein metabolism. IV. The cure and prevention of stomach ulcers in rats, 177.
HUGHES, J. S. See Parrish, D. B., 193.
Human colostrum and transitional milk, essential amino acids in, 499.
— diet, effect of feeding natural diet comparable to. Dental caries in cotton rat. XI., 203.
— milk studies. XXVII. Essential amino acids in human colostrum and transitional milk, 499.
— subjects ingesting different amounts of the same proteins, amino acids in blood and urine of, 145.
Humans (see Man).
HUMPHREYS, E. M. See Steffee, C. H., 483.
Hydrolysate(s) (protein), parenterally and orally supplied, comparison of, for utilization of nitrogen in long continued feeding experiments, 81.
— — relation of amino acid-sugar reaction to nutritive value of, 295.

ILLUMINATION and ascorbic acid content of tomato fruits, further studies on relationship between, 133.
Indispensable amino acids, minimum requirements of, for maintenance of adult well-nourished male albino rat, 335.
IVY, A. C. See Wang, C. C., 471.

JACKSON, S. H., F. F. TISDALL, T. G. H. DRAKE AND D. WIGHTMAN. The retention of fluorine when fed as bone and as sodium fluoride, 515.
JOHNSON, B. C., J. A. PINKOS AND K. A. BURKE. Pyridoxine deficiency in the calf, 309.
— See Neumann, A. L., 403.
JORDAN, D. A. See Kagan, B. M., 275.

KAGAN, B. M., D. A. JORDAN AND P. S. GERALD. Absorption of aqueous dispersions of vitamin A alcohol and vitamin A ester in normal children, 275.
KAUCHER, M. See Miller, S., 499.
KELLEY, B., AND H. G. DAY. Effect of xanthophyll on the utilization of carotene and vitamin A by the rat, 159.
KELLY, W. C. See Somers, G. F., 133.
KEMMERER, A. R. See Vavich, M. G., 605.
Kidney syndrome, hemorrhagic, in rat, interrelationship of folacin, vitamin B_{12} and choline and effect on, 95.
KLINE, O. L. See Friedman, L., 295.

LATHYRISM, experimental, produced by feeding Singletary pea *(Lathyrus pusillus)* seed, 587.
Lathyrus pusillus (Singletary pea) seed, experimental lathyrism produced by feeding, 587.
LATSCHAR, C. E. See Parrish, D. B., 193.
Lead, copper, molybdenum and zinc, some interrelationships of, in nutrition of rat, 441.
LEE, J. G. Experimental lathyrism produced by feeding Singletary pea *(Lathyrus pusillus)* seed, 587.
Leucine, utilization by adult rat of amino acid mixtures low in, 625.
LEWIS, U. J. See Register, U. D., 281.
Linoleic acid requirement, relationship to optimum fat level. Effect of fat level of diet on general nutrition. V., 351.
LOCKHART, H. B. See Ruegamer, W. R., 231.
LOOSLI, J. K. See Bell, J. M., 515.

MACLEOD, F. L. See Dodds, M. L., 255.
MACY, I. G. See Miller, S., 499.
Maintenance of adult well-nourished male albino rat, minimum requirements of indispensable amino acids for, 335.
Male rat (see Rat).

Mammary and placental transfer of tocopherols to calf, effect of prepartal diet of cow on, 193.
Man, fate of niacin in, 453.
— utilization of vitamin A alcohol, acetate and natural esters by, 563.
MAURER, S. A. See Miller, S., 499.
MAYNARD, L. A. See Bell, J. M., 515.
MCDEVITT, E. See Goldsmith, G. A., 41.
MCDONALD, E. K. See Bensley, E. H., 323.
Metabolism, amino acid (see Amino acid metabolism).
— niacin (see Niacin metabolism).
— protein (see Protein metabolism).
Methionine supplementation of soybean oil meal — purified ration for growing pigs, effect of, 515.
Mice, influence of diet composition on vitamin B_{12} activity in, 595.
Microorganisms, rumen, preliminary observations upon factors influencing cellulose digestion by, 9.
Milk, human transitional, and human colostrum, essential amino acids in, 499.
— studies, human. XXVII., 499.
MILLER, S., V. RUTTINGER, M. M. RUTLEDGE, R. N. FRAHM, S. A. MAURER, E. Z. MOYER, M. KAUCHER, I. G. MACY, J. P. PRATT AND B. M. HAMIL. Human milk studies. XXVII. Essential amino acids in human colostrum and transitional milk, 499.
MITCHELL, H. H., AND J. R. BEADLES. Biological values of 6 partially purified proteins for the adult albino rat, 25.
Molybdenum, copper, zinc and lead, some interrelationships of, in nutrition of rat, 441.
MOORE, BETTY A. See Bensley, E. H., 323.
MOORE, MARY E. See Rubin, S. H., 265.
MOYER, E. Z. See Miller, S., 499.

NASSET, E. S. See Anderson, J. T., 625.
Natural diet comparable to a human diet, effect of feeding. Dental caries in cotton rat. XI., 203.
NEUMANN, A. L., B. C. JOHNSON AND J. B. THIERSCH. Crystalline vitamin B_{12} in the nutrition of the baby pig, 403.
Newfoundland, resurvey of nutritional status in Norris Point, 41.
Niacin, fate in man, rat, dog, pig, rabbit, guinea pig, goat, sheep and calf, 453.
— metabolism, comparative studies in. Fate of niacin in man, rat, dog, pig, rabbit, guinea pig, goat, sheep and calf, 453.
Nitrogen and amino acid excretion, urinary, in rat, influence of tryptophan upon, 71.
— in long continued feeding experiments, comparison of parenterally and orally supplied protein hydrolysate for utilization of, 81.
Norris Point, Newfoundland, resurvey of nutritional status in, 41.
Nutrition, general, effect of fat level of diet on. V., 351.
— of baby pig, crystalline vitamin B_{12} in, 403.
— of rat, some interrelationships of copper, molybdenum, zinc and lead in, 441.
Nutritional adequancy of Army combat rations, 281.
— evaluation, isolation and amino acid distribution of filbert globulins. Investigation of Barcelona and Du Chilly filbert nuts. II., 329.
— — of fats, importance of dietary level on, 383.
— status in Norris Point, Newfoundland, resurvey of, 41.
Nutritive value of protein hydrolysates, relation of amino acid-sugar reaction to, 295.
Nuts (Barcelona and Du Chilly filbert), investigation of. II., 329.

ORALLY and parenterally supplied protein hydrolysate, comparison of, for utilization of nitrogen in long continued feeding experiments, 81.
Oxalate, sodium (see Sodium oxalate).

PANKOPF, R. L. See Rubin, S. H., 265.
Panthenol and calcium pantothenate, availability in relation to food intake, 265.
Pantothenate, calcium (see Calcium pantothenate).
Pantothenic acid deficiency and conjugation reactions *in vivo*. II. Effect of riboflavin and pyridoxine deficiencies on acetylation of sulfanilamide, 577.
Parenterally and orally supplied protein hydrolysate, comparison of, for utilization of nitrogen in long continued feeding experiments, 81.
PARRISH, D. B., G. H. WISE, C. E. LATSCHAR AND J. S. HUGHES. Effect of the prepartal diet of the cow on the placental and mammary transfer of tocopherols to the calf, 193.
PARSONS, H. T. See Zepplin, M., 203.
Partially purified proteins, biological values of 6, for adult albino rat, 25.
— — — evaluation of protein qualities of 6, 231.
PAUL, W. J. See Bosshardt, D. K., 595.
Pea (Singletary, *Lathyrus pusillus*) seed, experimental lathyrism produced by feeding, 587.
PEARSON, P. B. See Perlzweig, W. A., 453.
PECK, B. J. See Perlzweig, W. A., 453.
PERLZWEIG, W. A., P. B. PEARSON AND F. ROSEN. Comparative studies in niacin metabolism. The fate of niacin in man, rat, dog, pig, rabbit, guinea pig, goat, sheep and calf, 453.
Perosis (enlarged hock disorder) in turkeys, studies on, 611.
PHILLIPS, P. H. See Zepplin, M., 203.
Physiological properties of sodium carboxymethyl starch, 471.
Pig(s), baby, crystalline vitamin B_{12} in nutrition of, 403.
— fate of niacin in, 453.
— growing, effect of methionine supplementation of soybean oil meal — purified ration for, 515.
— guinea (see Guinea pig).
— requirement for vitamin B_{12}, 243.
PINKOS, J. A. See Johnson, B. C., 309.
Placental and mammary transfer of tocopherols to calf, effect of preparatal diet of cow on, 193.
Plasma level (blood) and urinary excretion of ascorbic acid, relation and adjustment to intake, 255.
— tocopherol in diabetes mellitus, 323.
POLING, C. E. See Ruegamer, W. R., 231.
PRATT, J. P. See Miller, S., 499.
Prepartal diet of cow, effect on placental and mammary transfer of tocopherols to calf, 193.
PRICE, E. L. See Dodds, M. L., 255.
Protein(s), amino acids in blood and urine of human subjects ingesting different amounts of the same, 145.
— biological values of 6 partially purified, for adult albino rat, 25.

— depleted rats (see Rats, protein-depleted).
— evaluation of protein qualities of 6 partially purified, 231.
— hydrolysate(s), parenterally and orally supplied, comparison of, for utilization of nitrogen in long continued feeding experiments, 81.
—— relation of amino acid-sugar reaction to nutritive value of, 295.
— metabolism and alpha-tocopherol, interrelation between. IV. Cure and prevention of stomach ulcers in rats, 177.
— qualities of 6 partially purified proteins, evaluation of, 231.
Purified proteins (partially), biological values of 6, for adult albino rat, 25.
—— evaluation of protein qualities of 6, 231.
— soybean oil meal ration for growing pigs, effect of methionine supplementation of, 551.
Pyridoxine and riboflavin deficiencies, effect on acetylation of sulfanilamide, 577.
— deficiency in calf, 309.

QUAIFE, M. L. See Harris, P. L., 367.

RABBIT, fate of niacin in, 453.
Rat(s), adult albino, biological values of 6 partially purified proteins for, 25.
—— utilization of amino acid mixtures low in leucine, 625.
—— well-nourished male albino, minimum requirements of indispensable amino acids for maintenance of, 335.
— cotton (see Cotton rat).
— cure and prevention of stomach ulcers in. Interrelation between alpha-tocopherol and protein metabolism. IV., 177.
— effect of xanthophyll on utilization of carotene and vitamin A by, 159.
— factors influencing utilization of carotene for storage of vitamin A in, 605.
— fate of niacin in, 453.
— influence of tryptophan upon urinary nitrogen and amino acid excretion in, 71.
— interrelationship of folacin, vitamin B_{12} and choline and effect on hemorrhagic kidney syndrome in, 95.
— (protein-depleted adult male albino), determination of minimum daily essential amino acid requirements in, 483.
— some interrelationships of copper, molybdenum, zinc and lead in nutrition of, 441.
— tryptophan deficiency in, induced by forced feeding of an acid hydrolyzed casein diet, 213.
— weight changes and food consumption in. Studies of dietary restriction and rehabilitation. I., 537.
Ration(s), Army combat, nutritional adequacy of, 281.
— (fat-free and cottonseed oil), fatty acid changes in egg yolk of hens on, 429.
—(soybean oil meal — purified) for growing pigs, effect of methionine supplementation of, 551.
Reaction(s) (amino acid-sugar), relation to nutritive value of protein hydrolysates, 295.
— (conjugation) *in vivo* and pantothenic acid deficiency. II., 577.
REGISTER, U. D., U. J. LEWIS, W. R. RUEGAMER AND C. A. ELVEHJEM. Studies on the nutritional adequacy of Army combat rations, 281.
Rehabilitation and restriction, dietary, studies of. I., 537.
REISER, R. Fatty acid changes in egg yolk of hens on a fat-free and a cottonseed oil ration, 429.
Renal antihemorrhagic action, relation of structure of choline-like compounds to, 113.
Restriction and rehabilitation, dietary, studies of. I., 537.
Resurvey of nutritional status in Norris Point, Newfoundland, 41.
REYNOLDS, M. S. See Steele, B. F., 145.
Riboflavin and pyridoxine deficiencies, effect on acetylation of sulfanilamide, 577.
RICHARDSON, L. R., AND L. G. BLAYLOCK. Vitamin B_{12} and amino acids as supplements to soybean oil meal and cottonseed meal for growing chicks, 169.
ROSEN, F. See Perlzweig, W. A., 453.
RUBIN, S. H., L. DREKTER, M. E. MOORE AND R. L. PANKOPF. Availability of panthenol and calcium pantothenate in relation to food intake, 265.
RUEGAMER, W. R., C. E. POLING AND H. B. LOCKHART. An evaluation of the protein qualities of 6 partially purified proteins, 231.
— See Register, U. D., 281.
Rumen microorganisms, preliminary observations upon factors influencing cellulose digestion by, 9.
RUTLEDGE, M. M. See Miller, S., 499.
RUTTINGER, V. See Miller, S., 499.

SALMON, W. D. See Schaefer, A. E., 95.
SASS, M. D. See Shils, M. E., 577.
SAVAGE, E. E. See Deuel, H. J., Jr., 351.
SCHAEFER, A. E., W. D. SALMON, D. R. STRENGTH AND D. H. COPELAND. Interrelationship of folacin, vitamin B_{12}, and choline. Effect on hemorrhagic kidney syndrome in the rat and on growth of the chick, 95.
SCOTT, M. L. Studies on the enlarged hock disorder (perosis) in turkeys, 611.
Seed, Singletary pea *(Lathyrus pusillus)*, experimental lathyrism produced by feeding, 587.
SEVIGNE, F. J. See Week, E. F., 563.
Sheep, fate of niacin in, 453.
SHILS, M. E., S. ABRAMOWITZ AND M. D. SASS. Pantothenic acid deficiency and conjugation reactions *in vivo*. II. The effect of riboflavin and pyridoxine deficiencies on the acetylation of sulfanilamide, 577.
Singletary pea *(Lathyrus pusillus)* seed, experimental lathyrism produced by feeding, 587.
SMITH, J. K. See Zepplin, M., 203.
Sodium carboxymethyl starch, physiological properties of, 471.
— fluoride, retention of fluorine when fed as bone and as, 515.
— oxalate, prevention of caries in Syrian hamster with, 393.
SOMERS, G. F., K. C. HAMNER AND W. C. KELLY. Further studies on the relationship between illumination and the ascorbic acid content of tomato fruits, 133.
Soybean oil meal and cottonseed meal, vitamin B_{12} and amino acids as supplements to, for growing chicks, 169.
—— —— purified ration for growing pigs, effect of methionine supplementation of, 515.
SPARKS, P. See Perlzweig, W. A., 453.
SPECTOR, H., AND F. B. ADAMSTONE. Tryptophan deficiency in the rat induced by forced feeding of an acid hydrolyzed casein diet, 213.

Stability of vitamin A from cod liver oil in cereal feeds, factors affecting, 415.
Starch (sodium carboxymethyl), physiological properties of, 471.
STEELE, B. F., M. S. REYNOLDS AND C. A. BAUMANN. Amino acids in the blood and urine of human subjects ingesting different amounts of the same proteins, 145.
STEFFEE, C. H., R. W. WISSLER, E. M. HUMPHREYS, E. P. BENDITT, R. L. WOOLRIDGE AND P. R. CANNON. Studies in amino acid utilization. V. The determination of minimum daily essential amino acid requirements in protein-depleted adult male albino rats, 483.
— See Benditt, E. P., 335.
STEINKAMP, R. C. See Goldsmith, G. A., 41.
Stomach ulcers in rats, cure and prevention. Interrelation between alpha-tocopherol and protein metabolism. IV., 177.
Storage of vitamin A in rat, factors influencing utilization of carotene for, 605.
STRENGTH, D. R. See Schaefer, A. E., 95.
Structure of choline-like compounds, relation to renal antihemorrhagic action, 113.
Sugar-amino acid reaction, relation to nutritive value of protein hydrolysates, 295.
Sulfanilamide, effect of riboflavin and pyridoxine deficiencies on acetylation of, 577.
Supplementation, methionine, of soybean oil meal — purified ration for growing pigs, effect of, 551.
SWANSON, W. J. See Harris, P. L., 367.
Syndrome, hemorrhagic kidney, in rat, interrelationship of folacin, vitamin B_{12} and choline and effect on, 95.
Syrian hamster, prevention of caries in, with sodium oxalate, 393.

THIERSCH, J. B. See Neumann, A. L., 403.
TISDALL, F. F. See Jackson, S. H., 515.
Tocopherol(s) (alpha-) and protein metabolism, interrelation between. IV. Cure and prevention of stomach ulcers in rats, 177.
— effect of prepartal diet of cow on placental and mammary transfer to calf, 193.
— plasma, in diabetes mellitus, 323.
Tomato fruits, further studies on relationship between illumination and ascorbic acid content of, 133.
Transfer (placental and mammary) of tocopherols to calf, effect of prepartal diet of cow on, 193.
Transitional milk, human (see Milk, human transitional).
Tryptophan deficiency in rat induced by forced feeding of an acid hydrolyzed casein diet, 213.
— influence upon urinary nitrogen and amino acid excretion in rat, 71.
Turkeys, studies on enlarged hock disorder (perosis) in, 611.
TWEDT, R. M., AND F. A. CAJORI. The prevention of caries in the Syrian hamster with sodium oxalate, 393.

ULCERS (stomach) in rats, cure and prevention. Interrelation between alpha-tocopherol and protein metabolism. IV., 177.
Urinary excretion and blood plasma level of ascorbic acid, relation and adjustment to intake, 255.
— nitrogen and amino acid excretion in rat, influence of tryptophan upon, 71.
Urine of human subjects ingesting different amounts of the same proteins, amino acids in, 145.

VAVICH, M. G., AND A. R. KEMMERER. Factors influencing the utilization of carotene for storage of vitamin A in the rat, 605.
Vitamin A alcohol, acetate and natural esters, utilization by humans, 563.
— — — — and ester, absorption of aqueous dispersions of, in normal children, 275.
— — — and carotene, effect of xanthophyll on utilization by rat, 159.
— — — ester and alcohol, absorption of aqueous dispersions of, in normal children, 275.
— — — factors influencing utilization of carotene for storage of, in rat, 605.
— — — from cod liver oil, factors affecting stability of, in cereal feeds, 415.
— — — utilization studies. III. Utilization of vitamin A alcohol, vitamin A acetate and vitamin A natural esters by humans, 563.
— B_{12} activity in mice, influence of diet composition on, 595.
— — — and amino acids as supplements to soybean oil meal and cottonseed meal for growing chicks, 169.
— — — crystalline, in nutrition of baby pig, 403.
— — — folacin and choline, interrelationship and effect on hemorrhagic kidney syndrome in rat and on growth of chick, 95.
— — — requirement of pig for, 243.
— E content of foods, 367.

WANG, C. C., M. I. GROSSMAN AND A. C. IVY. Physiological properties of sodium carboxymethyl starch, 471.
WEEK, E. F., AND F. J. SEVIGNE. Vitamin A utilization studies. III. The utilization of vitamin A alcohol, vitamin A acetate and vitamin A natural esters by humans, 563.
Weight changes and food consumption in rats. Studies of dietary restriction and rehabilitation. I., 537.
WELCH, A. D. The relation of the structure of choline-like compounds to renal antihemorrhagic action, 113.
Well-nourished rat (see Rat).
WIGHTMAN, D. See Jackson, S. H., 515.
WILLIAMS, H. H. See Bell, J. M., 551.
WISE, G. H. See Parrish, D. B., 193.
WISSLER, R. W. See Steffee, C. H., 483.
WOOLRIDGE, R. L. See Benditt, E. P., 335; Steffee, C. H., 483.
WYKES, A. A., L. M. HENDERSON AND C. A. ELVEHJEM. The influence of tryptophan upon urinary nitrogen and amino acid excretion in the rat, 71.

XANTHOPHYLL, effect on utilization of carotene and vitamin A by rat, 159.

YOLK, egg (see Egg yolk).

ZEPPLIN, M., J. K. SMITH, H. T. PARSONS, P. H. PHILLIPS AND C. A. ELVEHJEM. Dental caries in the cotton rat. XI. The effect of feeding a natural diet comparable to a human diet, 203.
Zinc, copper, molybdenum and lead, some interrelationships of, in nutrition of rat, 441.